

MAVERICK 1410S 21inch NORMAL RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disc 5H-114.3							Lo Disc 5H-112 5H-114.3 5H-120							Hi Disc 5H-112 5H-114.3 5H-120									
	PREMIUM SILVER, GLAZE BLACK	SBC	Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm						
21×9.0J	¥103,000	¥113,000	35~21			35(76)	29(82)	23(88)		23~9				23(76)	17(82)	11(88)		18~4				17(77)	11(83)	5(89)		
21×9.5J	¥104,000	¥114,000	41~15		41(77)	35(83)	29(89)	23(95)	17(101)	31~3			29(77)	23(83)	17(89)	11(95)	5(101)	24~2				23(78)	17(84)	11(90)	5(96)	-1(102)
21×10.0J	¥105,000	¥115,000	47~15	47(77)	41(83)	35(89)	29(95)	23(101)	17(107)	37~3		35(77)	29(83)	23(89)	17(95)	11(101)	5(107)	30~2		29(78)	23(84)	17(90)	11(96)	5(102)	-1(108)	
21×10.5J	¥106,000	¥116,000	47~21	47(83)	41(89)	35(95)	29(101)	23(107)		43~9	41(77)	35(83)	29(89)	23(95)	17(101)	11(107)		36~4	35(78)	29(84)	23(90)	17(96)	11(102)	5(108)		
21×11.0J	¥107,000	¥117,000	47~22	47(90)	41(96)	35(102)	29(108)	23(114)		43~10	41(84)	35(90)	29(96)	23(102)	17(108)	11(114)		36~5	35(85)	29(91)	23(97)	17(103)	11(109)	5(115)		

■DISK FINISH : PREMIUM SILVER , GLAZE BLACK , SBC

■COMPONENT PARTS : CENTER CAP (Selectable from 2 types of Hi type and 6 types of Lo type)、AIR VALVE

*As of November 30, 2023, the long adapter is no longer included.

■RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				BOLT HOLE DIA		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	690KG	φ30	φ14.5	28	40	45
20 Reverse	—	—	—	—															
19 Reverse	φ65	540KG	φ30	φ14.5															
18 Reverse																			

MAVERICK 1410S 20inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disc 5H-114.3								Lo Disc 5H-112 5H-114.3 5H-120								Hi Disc 5H-112 5H-114.3 5H-120																					
	PREMIUM SILVER, GLAZE BLACK	SBC	Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm																		
				50(55)	44(61)	38(67)	32(73)	28(77)					38(55)	32(61)	26(67)	20(73)	16(77)					33~11			32(56)	26(62)	20(68)	14(74)	11(77)											
20×8.5J	¥90,000	¥100,000	50~28									38~16											33~11																	
20×9.0J	¥91,000	¥101,000	56~20	56(55)	50(61)	44(67)	38(73)	32(79)	26(85)			44~8	44(55)	38(61)	32(67)	26(73)	20(79)	14(85)	8(91)					39~3			38(56)	32(62)	26(68)	20(74)	14(80)	8(86)	3(91)							
20×9.5J	¥92,000	¥102,000	56~20	56(62)	50(68)	44(74)	38(80)	32(86)	26(92)	20(91)		50~8	50(56)	44(62)	38(68)	32(74)	26(80)	20(86)	14(92)	8(98)				45~3	44(56)	38(62)	32(68)	26(74)	20(80)	14(86)	8(92)	3(97)								
20×10.0J	¥93,000	¥103,000	56~26	56(68)	50(74)	44(80)	38(86)	32(92)	26(98)	20(98)		50~14	50(62)	44(68)	38(74)	32(80)	26(86)	20(92)	14(98)					48~9	44(63)	38(69)	32(75)	26(81)	20(87)	14(93)	9(98)									
20×10.5J	¥94,000	¥104,000	56~22	56(74)	50(80)	44(86)	38(92)	32(98)	26(104)			50~10	50(68)	44(74)	38(80)	32(86)	26(92)	20(98)	14(104)	10(108)				48~5	44(69)	38(75)	32(81)	26(87)	20(93)	14(99)	8(105)									

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 57mm WILL BE BEYOND OUTER RIM FLANGE. (OUTER RIM DEPTH OF 55mm = 3mm BEYOND)

■ DISK FINISH : PREMIUM SILVER , GLAZE BLACK , SBC

■ COMPONENT PARTS : CENTER CAP (Selectable from 2 types of Hi type and 6 types of Lo type) 、 AIR VALVE

*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				BOLT HOLE DIA			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi	
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	690KG	φ30	φ14.5	28	40	45	
20 Reverse	—	—	—	—																
19 Reverse	φ65	540KG	φ30	φ14.5																700KG
18 Reverse	—	—	—	—																

MAVERICK 1410S 19inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc) PREMIUM SILVER, GLAZE BLACK	S-Lo Disc 5H-114.3								Lo Disc 5H-100 5H-112 5H-114.3 5H-120								Hi Disc 5H-114.3									
		Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm								
19×7.5J	¥76,000				43(49)					31~28				31(49)						26~23				26(50)			
19×8.0J	¥77,000			50(49)	44(55)	38(61)				38~23				38(49)	32(55)	26(61)				33~18			32(50)	26(56)	20(62)		
19×8.5J	¥78,000		56(49)	50(55)	44(61)	38(67)	32(73)			44~16			44(49)	38(55)	32(61)	26(67)	20(73)		39~11			38(50)	32(56)	26(62)	20(68)	14(74)	
19×9.0J	¥79,000		56(55)	50(61)	44(67)	38(73)	32(79)	26(85)	20(91)	50~8	50(49)	44(55)	38(61)	32(67)	26(73)	20(79)	14(85)	8(91)	45~3	44(50)	38(56)	32(62)	26(68)	20(74)	14(80)	8(86)	
19×9.5J	¥80,000		56(62)	50(68)	44(74)	38(80)	32(86)	26(92)	20(98)	50~8	50(56)	44(62)	38(68)	32(74)	26(80)	20(86)	14(92)	8(98)	48~3	44(57)	38(63)	32(69)	26(75)	20(81)	14(87)	8(93)	
19×10.0J	¥81,000		56(68)	50(74)	44(80)	38(86)	32(92)	26(98)		50~14	50(62)	44(68)	38(74)	32(80)	26(86)	20(92)	14(98)		48~9	44(63)	38(69)	32(75)	26(81)	20(87)	14(93)		
19×10.5J	¥82,000		56(74)	50(80)	44(86)	38(92)	32(98)	26(104)		50~10	50(68)	44(74)	38(80)	32(86)	26(92)	20(98)	14(104)		48~5	44(69)	38(75)	32(81)	26(87)	20(93)	14(99)		

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 57mm WILL BE BEYOND OUTER RIM FLANGE. (OUTER RIM DEPTH OF 55mm = 3mm BEYOND)

■ DISK FINISH : PREMIUM SILVER , GLAZE BLACK , SBC

■ COMPONENT PARTS : CENTER CAP (Selectable from 2 types of Hi type and 6 types of Lo type) 、 AIR VALVE

*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				BOLT HOLE DIA		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	690KG	φ30	φ14.5	28	40	45
20 Reverse	—	—	—	—															
19 Reverse	φ65	540KG	φ30	φ14.5															
18 Reverse					—	—	—	—											

