

# MAVERICK 1613M 21inch NORMAL RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disk 5H-114.3 5H-120							Lo Disk 5H-112 5H-114.3 5H-120							Hi Disk 5H-112 5H-114.3 5H-120									
	HYPER METAL BLACK	SAMURAI GOLD, GLAZE BLACK	Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm						
				50(59)	44(65)	38(71)	32(77)	26(83)				48~17	45(57)	39(63)	33(69)	27(75)	21(81)				32~1			30(56)	24(62)	18(68)
21×9.0J	¥112,000	¥108,000	55~24	50(59)	44(65)	38(71)	32(77)	26(83)			48~17	45(57)	39(63)	33(69)	27(75)	21(81)			32~1			30(56)	24(62)	18(68)	12(74)	6(80)
21×9.5J	¥113,000	¥109,000	55~17	50(65)	44(71)	38(77)	32(83)	26(89)	20(95)	50~10	45(63)	39(69)	33(75)	27(81)	21(87)	15(93)	38~-7		36(56)	30(62)	24(68)	18(74)	12(80)	6(86)		
21×10.0J	¥114,000	¥110,000	55~18	50(72)	44(78)	38(84)	32(90)	26(96)	20(102)	50~11	45(70)	39(76)	33(82)	27(88)	21(94)	15(100)	45~-6	42(57)	36(63)	30(69)	24(75)	18(81)	12(87)	6(93)		
21×10.5J	¥115,000	¥111,000	55~24	50(78)	44(84)	38(90)	32(96)	26(102)		50~17	45(76)	39(82)	33(88)	27(94)	21(100)		46~1	42(63)	36(69)	30(75)	24(81)	18(87)	12(93)	6(99)		
21×11.0J	¥116,000	¥112,000	55~24	50(84)	44(90)	38(96)	32(102)	26(108)		50~17	45(82)	39(88)	33(94)	27(100)	21(106)		46~1	42(69)	36(75)	30(81)	24(87)	18(93)	12(99)	6(105)		

\* There is no protrusion of the top surface of the disk from the edge of the rim flange on all sizes.

■ DISK FINISH: HYPER METAL BLACK, SAMURAI GOLD, GLAZE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available) , AIR VALVE

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH: THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※ SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi	
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.5	815KG	φ30	φ14.5	32	39	55	
20 Reverse	—	—	—	—																
20 Normal	φ65	540KG	φ30	φ14.5																
19 Reverse																				700KG
19 Normal																				
18 Reverse																				

■ MAVERICK1613M is compatible with VIA815KG (5H-120).It can be installed on all grades of Alphard/Vellfire (40 series) and Lexus LM (H10 series).

# MAVERICK 1613M 20inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disk 5H-114.3 5H-120							Lo Disk 5H-112 5H-114.3 5H-120							Hi Disk 5H-112 5H-114.3 5H-120									
	HYPER METAL BLACK	SAMURAI GOLD GLAZE BLACK	Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm						
				55~37	53(44)	47(50)	41(56)	37(60)				50~30	48(42)	42(48)	36(54)	30(60)				34~14			33(41)	27(47)	21(53)	15(59)
20×8.0J	¥98,000	¥94,000	55~37	53(44)	47(50)	41(56)	37(60)			50~30	48(42)	42(48)	36(54)	30(60)			34~14			33(41)	27(47)	21(53)	15(59)			
20×8.5J	¥99,000	¥95,000	55~30	53(50)	47(56)	41(62)	35(68)	30(73)		50~23	48(48)	42(54)	36(60)	30(66)	24(72)		40~7		39(41)	33(47)	27(53)	21(59)	15(65)	9(71)		
20×9.0J	¥100,000	¥96,000	55~22	53(56)	47(62)	41(68)	35(74)	29(80)	23(86)	50~15	48(54)	42(60)	36(66)	30(72)	24(78)	18(84)	46~-1	45(41)	39(47)	33(53)	27(59)	21(65)	15(71)	9(77)		
20×9.5J	¥101,000	¥97,000	55~22	53(63)	47(69)	41(75)	35(81)	29(87)	23(93)	50~15	48(61)	42(67)	36(73)	30(79)	24(85)	18(91)	46~-1	45(48)	39(54)	33(60)	27(66)	21(72)	15(78)	9(84)		
20×10.0J	¥102,000	¥98,000	55~28	53(69)	47(75)	41(81)	35(87)	29(93)		50~21	48(67)	42(73)	36(79)	30(85)	24(91)		46~5	45(54)	39(60)	33(66)	27(72)	21(78)	15(84)	9(90)		
20×10.5J	¥103,000	¥99,000	55~24	53(75)	47(81)	41(87)	35(93)	29(99)		50~17	48(73)	42(79)	36(85)	30(91)	24(97)	18(103)	46~1	45(60)	39(66)	33(72)	27(78)	21(84)	15(90)	9(96)		

\* There is no protrusion of the top surface of the disk from the edge of the rim flange on all sizes.

■ DISK FINISH: HYPER METAL BLACK,SAMURAI GOLD,GLAZE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available) ,AIR VALVE

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi	
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.5	815KG	φ30	φ14.5	32	39	55	
20 Reverse	—	—	—	—																
20 Normal	φ65	540KG	φ30	φ14.5																
19 Reverse																				700KG
19 Normal																				
18 Reverse																				

■ MAVERICK1613M is compatible with VIA815KG (5H-120).It can be installed on all grades of Alphard/Vellfire (40 series) and Lexus LM (H10 series).

# MAVERICK 1613M 20inch NORMAL RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disk 5H-114.3								Lo Disk 5H-100 5H-112 5H-114.3 5H-120								Hi Disk 5H-114.3										
	HYPER METAL BLACK	SAMURAI GOLD GLAZE BLACK	Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm							
20×8.5J	¥99,000	¥95,000	46~24		44(59)	38(65)	32(71)	26(77)			39~17		39(57)	33(63)	27(69)	21(75)			23~1				23(56)	17(62)	11(68)	5(74)			
20×9.0J	¥100,000	¥96,000	53~18	50(59)	44(65)	38(71)	32(77)	26(83)	20(89)		46~11	45(57)	39(63)	33(69)	27(75)	21(81)	15(87)		30~-5				30(56)	24(62)	18(68)	12(74)	6(80)		
20×9.5J	¥101,000	¥97,000	53~12	50(65)	44(71)	38(77)	32(83)	26(89)	20(95)	14(101)	50~5	45(63)	39(69)	33(75)	27(81)	21(87)	15(93)	9(99)	36~-12				36(56)	30(62)	24(68)	18(74)	12(80)	6(86)	
20×10.0J	¥102,000	¥98,000	53~6	50(72)	44(78)	38(84)	32(90)	26(96)	20(102)	14(108)	50~-1	45(70)	39(76)	33(82)	27(88)	21(94)	15(100)	9(106)	43~-17	42(57)	36(63)	30(69)	24(75)	18(81)	12(87)	6(93)			
20×10.5J	¥103,000	¥99,000	53~12	50(78)	44(84)	38(90)	32(96)	26(102)	20(108)	14(114)	50~5	45(76)	39(82)	33(88)	27(94)	21(100)	15(106)	9(112)	43~-11	42(63)	36(69)	30(75)	24(81)	18(87)	12(93)	6(99)			
20×11.0J	¥104,000	¥100,000	53~12	50(84)	44(90)	38(96)	32(102)	26(108)	20(114)	14(120)	50~5	45(82)	39(88)	33(94)	27(100)	21(106)	15(112)	9(118)	43~-12	42(69)	36(75)	30(81)	24(87)	18(93)	12(99)	6(105)			

\* There is no protrusion of the top surface of the disk from the edge of the rim flange on all sizes.

■ DISK FINISH: HYPER METAL BLACK, SAMURAI GOLD, GLAZE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available) , AIR VALVE

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH: THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※ SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.5	815KG	φ30	φ14.5	32	39	55
20 Reverse	—	—	—	—															
20 Normal	φ65	540KG	φ30	φ14.5															
19 Reverse																			
19 Normal																			
18 Reverse																			

■ MAVERICK1613M is compatible with VIA815KG (5H-120).It can be installed on all grades of Alphard/Vellfire (40 series) and Lexus LM (H10 series).

# MAVERICK 1613M 19inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disk 5H-114.3							Lo Disk 5H-100 5H-112 5H-114.3 5H-120							Hi Disk 5H-114.3								
	HYPER METAL BLACK	SAMURAI GOLD GLAZE BLACK	Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm					
19×7.5J	¥85,000	¥81,000	50~42		47(43)	42(48)					43~35		42(41)	36(47)				27~19				27(40)	21(46)		
19×8.0J	¥86,000	¥82,000	55~37	53(44)	47(50)	41(56)					50~30	48(42)	42(48)	36(54)	30(60)			34~14				33(41)	27(47)	21(53)	15(59)
19×8.5J	¥87,000	¥83,000	55~30	53(50)	47(56)	41(62)	35(68)				50~23	48(48)	42(54)	36(60)	30(66)	24(72)		40~7				39(41)	33(47)	27(53)	21(59)
19×9.0J	¥88,000	¥84,000	55~22	53(56)	47(62)	41(68)	35(74)	29(80)	23(86)		50~15	48(54)	42(60)	36(66)	30(72)	24(78)	18(84)	46~-1	45(41)	39(47)	33(53)	27(59)	21(65)	15(71)	9(77)
19×9.5J	¥89,000	¥85,000	55~22	53(63)	47(69)	41(75)	35(81)	29(87)	23(93)		50~15	48(61)	42(67)	36(73)	30(79)	24(85)	18(91)	46~-1	45(48)	39(54)	33(60)	27(66)	21(72)	15(78)	9(84)
19×10.0J	¥90,000	¥86,000	55~28	53(69)	47(75)	41(81)	35(87)	29(93)			50~21	48(67)	42(73)	36(79)	30(85)	24(91)		46~5	45(54)	39(60)	33(66)	27(72)	21(78)	15(84)	9(90)
19×10.5J	¥91,000	¥87,000	55~24	53(75)	47(81)	41(87)	35(93)	29(99)			50~17	48(73)	42(79)	36(85)	30(91)	24(97)	18(103)	46~1	45(60)	39(66)	33(72)	27(78)	21(84)	15(90)	9(96)

\* There is no protrusion of the top surface of the disk from the edge of the rim flange on all sizes.

■ DISK FINISH: HYPER METAL BLACK, SAMURAI GOLD, GLAZE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available) , AIR VALVE

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH: THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※ SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)							
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi					
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.5	815KG	φ30	φ14.5	32	39	55					
20 Reverse	—	—	—	—																				
20 Normal	φ65	540KG	φ30	φ14.5																				
19 Reverse																				700KG	—	—	—	—
19 Normal																								
18 Reverse					—	—	—	—																

■ MAVERICK1613M is compatible with VIA815KG (5H-120).It can be installed on all grades of Alphard/Vellfire (40 series) and Lexus LM (H10 series).

# MAVERICK 1613M 19inch NORMAL RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disk 5H-114.3							Lo Disk 5H-100 5H-112 5H-114.3						
	HYPER METAL BLACK	SAMURAI GOLD, GLAZE BLACK	Order Inset	Inset (Rim Depth) mm				Order Inset	Inset (Rim Depth) mm							
19×8.0J	¥86,000	¥82,000	41~23			38(58)	32(64)	26(70)		34~16			33(56)	27(62)	21(68)	
19×8.5J	¥87,000	¥83,000	47~16			44(58)	38(64)	32(70)	26(76)	40~9			39(56)	33(62)	27(68)	21(74) 15(80)
19×9.0J	¥88,000	¥84,000	53~23	50(59)		44(65)	38(71)	32(77)	26(83)	46~16	45(57)	39(63)	33(69)	27(75)	21(81)	
19×9.5J	¥89,000	¥85,000	53~17	50(65)		44(71)	38(77)	32(83)	26(89)	20(95)	50~10	45(63)	39(69)	33(75)	27(81)	21(87) 15(93)
19×10.0J	¥90,000	¥86,000	53~24	50(72)		44(78)	38(84)	32(90)	26(96)		50~17	45(70)	39(76)	33(82)	27(88)	21(94)
19×10.5J	¥91,000	¥87,000	53~23	50(78)		44(84)	38(90)	32(96)	26(102)		50~16	45(76)	39(82)	33(88)	27(94)	21(100)

\* There is no protrusion of the top surface of the disk from the edge of the rim flange on all sizes.

■ DISK FINISH: HYPER METAL BLACK, SAMURAI GOLD, GLAZE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available), AIR VALVE

\*As of November 30, 2023, the longer adapter is no longer included.

■ RIM DEPTH: THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※ SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi	
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.5	815KG	φ30	φ14.5	32	39	55	
20 Reverse	—	—	—	—																
20 Normal	φ65	540KG	φ30	φ14.5																
19 Reverse																				700KG
19 Normal																				
18 Reverse																				

# MAVERICK 1613M 18inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc)		S-Lo Disk 5H-114.3							Lo Disk 5H-100 5H-112 5H-114.3								
	HYPER METAL BLACK	SAMURAI GOLD, GLAZE BLACK	Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm						
18×7.5J	¥79,000	¥75,000	50~34		47(43)	41(49)	35(55)			43~27		42(41)	36(47)	30(53)				
18×8.0J	¥80,000	¥76,000	55~29	53(44)	47(50)	41(56)	35(62)	29(68)		50~22	48(42)	42(48)	36(54)	30(60)	24(66)			
18×8.5J	¥81,000	¥77,000	55~22	53(50)	47(56)	41(62)	35(68)	29(74)	23(80)	50~15	48(48)	42(54)	36(60)	30(66)	24(72)	18(78)		
18×9.0J	¥82,000	¥78,000	55~22	53(56)	47(62)	41(68)	35(74)	29(80)	23(86)	50~15	48(54)	42(60)	36(66)	30(72)	24(78)	18(84)		
18×9.5J	¥83,000	¥79,000	55~22	53(63)	47(69)	41(75)	35(81)	29(87)	23(93)	50~15	48(61)	42(67)	36(73)	30(79)	24(85)	18(91)		
18×10.0J	¥84,000	¥80,000	55~28	53(69)	47(75)	41(81)	35(87)	29(93)		50~21	48(67)	42(73)	36(79)	30(85)	24(91)			

\* There is no protrusion of the top surface of the disk from the edge of the rim flange on all sizes.

■ DISK FINISH: HYPER METAL BLACK, SAMURAI GOLD, GLAZE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available), AIR VALVE

\*As of November 30, 2023, the longer adapter is no longer included.

■ RIM DEPTH: THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※ SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi	
21 Normal	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.5	815KG	φ30	φ14.5	32	39	55	
20 Reverse	—	—	—	—																
20 Normal	φ65	540KG	φ30	φ14.5																
19 Reverse																				700KG
19 Normal																				
18 Reverse																				