

SPEC & PRICE LIST

MAVERICK 709M 21inch NORMAL RIM

[2-piece]

SIZE	Price (JPY/1pc)			S-LoDisk 5H-114.3 5H-120							LoDisk 5H-112 5H-114.3 5H-120							HiDisk 5H-112 5H-114.3 5H-120									
	MAT GUN-METALLIC	SAMURAI GOLD	GLAZE BLACK, PREMIUM SILVER	Order Inset	Inset (Rim Depth) mm						Order Inset	Inset (Rim Depth) mm						Order Inset	Inset (Rim Depth) mm								
21×9.0J	¥105,000	¥105,500	¥106,000	48~22	48 (57)	42 (63)	36 (69)	30 (75)	24 (81)		44~15	44 (54)	38 (60)	32 (66)	26 (72)	20 (78)	15 (83)		28~1			28 (54)	22 (60)	16 (66)	10 (72)	4 (78)	-1 (83)
21×9.5J	¥106,000	¥106,500	¥107,000	48~15	48 (63)	42 (69)	36 (75)	30 (81)	24 (87)	18 (93)	47~8	44 (60)	38 (66)	32 (72)	26 (78)	20 (84)	14 (90)	8 (96)	34~8		34 (54)	28 (60)	22 (66)	16 (72)	10 (78)	4 (84)	-2 (90)
21×10.0J	¥107,000	¥107,500	¥108,000	48~15	48 (69)	42 (75)	36 (81)	30 (87)	24 (93)	18 (99)	47~8	44 (66)	38 (72)	32 (78)	26 (84)	20 (90)	14 (96)	8 (102)	40~8	40 (54)	34 (60)	28 (66)	22 (72)	16 (78)	10 (84)	4 (90)	-2 (96)

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 35mm WILL BE BEYOND OUTER RIM FLANGE.

■DISK FINISH: GLAZE BLACK, MATTE GUN METALLIC, SAMURAI GOLD, PREMIUM SILVER

■COMPONENT PARTS : CENTER CAP (Choice of 7 types) , METAL VALVE STEM

■RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※SAME PRICES ON YOUR CUSTOM ORDER.

Size	4H/100				5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)										
	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi								
21 Normal	—	—	—	—	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	730KG	φ30	φ14.5	25	32	48								
20 Reverse	—	—	—	—	—	—	—	—									—	—	—												
20 Normal	—	—	—	—	φ65	540KG	φ30	φ14.5									—	—	—	—											
19 Reverse	—	—	—	—													—	—	—												
19 Normal	—	—	—	—													—	—	—	—											
18 Reverse	φ65	530KG	φ30	φ13													—	—	—	—											

SPEC & PRICE LIST

MAVERICK 709M 20inch REVERSE RIM

[2-piece]

SIZE	Price (JPY/1pc)			S-LoDisk 5H-114.3 5H-120									LoDisk 5H-112 5H-114.3 5H-120									HDisk 5H-112 5H-114.3 5H-120								
	MAT GUN-METALLIC	SAMURAI GOLD	GLAZE BLACK, PREMIUM SILVER	Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm							
20×8.0J	¥90,000	¥90,500	¥91,000	57~35	57 (35)	54 (38)	51 (41)	48 (44)	45 (47)	42 (50)	39 (53)	36 (56)	50~28	50 (35)	47 (38)	44 (41)	41 (44)	38 (47)	35 (50)	32 (53)	29 (56)	34~12	34 (35)	31 (38)	28 (41)	25 (44)	22 (47)	19 (50)	16 (53)	12 (57)
20×8.5J	¥91,000	¥91,500	¥92,000	57~28	57 (41)	51 (47)	45 (53)	39 (59)	33 (65)	29 (69)			50~21	50 (41)	44 (47)	38 (53)	32 (59)	26 (65)	21 (70)			40~5	40 (35)	34 (41)	28 (47)	22 (53)	16 (59)	10 (65)	5 (70)	
20×9.0J	¥92,000	¥92,500	¥93,000	57~20	57 (47)	51 (53)	45 (59)	39 (65)	33 (71)	27 (77)	21 (83)		50~13	50 (47)	44 (53)	38 (59)	32 (65)	26 (71)	20 (77)	13 (84)		46~3	46 (35)	40 (41)	34 (47)	28 (53)	22 (59)	16 (65)	10 (71)	4 (77)
20×9.5J	¥93,000	¥93,500	¥94,000	57~20	57 (54)	51 (60)	45 (66)	39 (72)	33 (78)	27 (84)	21 (90)		50~13	50 (54)	44 (60)	38 (66)	32 (72)	26 (78)	20 (84)	13 (91)		46~3	46 (42)	40 (48)	34 (54)	28 (60)	22 (66)	16 (72)	10 (78)	4 (84)
20×10.0J	¥94,000	¥94,500	¥95,000	57~26	57 (60)	51 (66)	45 (72)	39 (78)	33 (84)	27 (90)			50~19	50 (60)	44 (66)	38 (72)	32 (78)	26 (84)	20 (90)			46~3	46 (48)	40 (54)	34 (60)	28 (66)	22 (72)	16 (78)	10 (84)	3 (91)
20×10.5J	¥95,000	¥95,500	¥96,000	57~22	57 (66)	51 (72)	45 (78)	39 (84)	33 (90)	27 (96)	22 (101)		50~15	50 (66)	44 (72)	38 (78)	32 (84)	26 (90)	20 (96)	15 (101)		46~1	46 (54)	40 (60)	34 (66)	28 (72)	21 (79)	14 (86)	7 (93)	-1 (101)

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 35mm WILL BE BEYOND OUTER RIM FLANGE.

■DISK FINISH: GLAZE BLACK, MATTE GUN METALLIC, SAMURAI GOLD, PREMIUM SILVER

■COMPONENT PARTS : CENTER CAP (Choice of 7 types)、METAL VALVE STEM

■RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※SAME PRICES ON YOUR CUSTOM ORDER.

Size	4H/100				5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	730KG	φ30	φ14.5	25	32	48
20 Reverse	—	—	—	—	—	—	—																
20 Normal	—	—	—	—	φ65	540KG	φ30	φ14.5															
19 Reverse	—	—	—	—																			
19 Normal	—	—	—	—																			
18 Reverse	φ65	530KG	φ30	φ13													—	—	—	—			

SPEC & PRICE LIST

MAVERICK 709M 20inch NORMAL RIM

[2-piece]

SIZE	Price (JPY/1pc)			S-LoDisk 5H-114.3										LoDisk 5H-100 5H-112 5H-114.3 5H-120										HiDisk 5H-114.3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	MAT GUN-METALLIC	SAMURAI GOLD	GLAZE BLACK, PREMIUM SILVER	Order Inset	Inset (Rim Depth) mm										Order Inset	Inset (Rim Depth) mm										Order Inset	Inset (Rim Depth) mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 35mm WILL BE BEYOND OUTER RIM FLANGE.

■DISK FINISH: GLAZE BLACK, MATTE GUN METALLIC, SAMURAI GOLD, PREMIUM SILVER

■COMPONENT PARTS : CENTER CAP (Choice of 7 types) , METAL VALVE STEM

■RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※SAME PRICES ON YOUR CUSTOM ORDER.

Size	4H/100				5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	—	—	—	—	φ 66.5	705KG	φ 30	φ 14.5	φ 73	690KG	φ 30	φ 13	φ 72.5	730KG	φ 30	φ 14.5	25	32	48
20 Reverse	—	—	—	—	—	—	—																
20 Normal	—	—	—	—	φ 65	540KG	φ 30	φ 14.5															
19 Reverse	—	—	—	—																			
19 Normal	—	—	—	—																			
18 Reverse	φ 65	530KG	φ 30	φ 13																			

SPEC & PRICE LIST

MAVERICK 709M 19inch REVERSE RIM

[2-piece]

SIZE	Price (JPY/1pc)			S-LoDisk 5H-114.3								LoDisk 5H-100 5H-112 5H-114.3 5H-120								HiDisk 5H-114.3										
	MAT GUN-METALLIC	SAMURAI GOLD	GLAZE BLACK, PREMIUM SILVER	Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm							
19×7.5J	¥75,000	¥75,500	¥76,000	50~40			50 (35)	47 (38)	44 (41)	41 (44)			43~33			43 (35)	40 (38)	37 (41)	33 (45)			27~17			27 (35)	24 (38)	21 (41)	17 (45)		
19×8.0J	¥76,000	¥76,500	¥77,000	57~35	57 (35)	54 (38)	51 (41)	48 (44)	45 (47)	42 (50)	39 (53)	36 (56)	50~28	50 (35)	47 (38)	44 (41)	41 (44)	38 (47)	35 (50)	32 (53)	29 (56)	34~12	34 (35)	31 (38)	28 (41)	25 (44)	22 (47)	19 (50)	16 (53)	12 (57)
19×8.5J	¥77,000	¥77,500	¥78,000	57~28	57 (41)	51 (47)	45 (53)	39 (59)	33 (65)	29 (69)			50~21	50 (41)	44 (47)	38 (53)	32 (59)	26 (65)	21 (70)			40~5	40 (35)	34 (41)	28 (47)	22 (53)	16 (59)	10 (65)	5 (70)	
19×9.0J	¥78,000	¥78,500	¥79,000	57~20	57 (47)	51 (53)	45 (59)	39 (65)	33 (71)	27 (77)	21 (83)		50~13	50 (47)	44 (53)	38 (59)	32 (65)	26 (71)	20 (77)	13 (84)		46~3	46 (35)	40 (41)	34 (47)	28 (53)	22 (59)	16 (65)	10 (71)	4 (77)
19×9.5J	¥79,000	¥79,500	¥80,000	57~20	57 (54)	51 (60)	45 (66)	39 (72)	33 (78)	27 (84)	21 (90)		50~13	50 (54)	44 (60)	38 (66)	32 (72)	26 (78)	20 (84)	13 (91)		46~3	46 (42)	40 (48)	34 (54)	28 (60)	22 (66)	16 (72)	10 (78)	4 (84)
19×10.0J	¥80,000	¥80,500	¥81,000	57~26	57 (60)	51 (66)	45 (72)	39 (78)	33 (84)	27 (90)			50~19	50 (60)	44 (66)	38 (72)	32 (78)	26 (84)	20 (90)			46~3	46 (48)	40 (54)	34 (60)	28 (66)	22 (72)	16 (78)	10 (84)	3 (91)
19×10.5J	¥81,000	¥81,500	¥82,000	57~22	57 (66)	51 (72)	45 (78)	39 (84)	33 (90)	27 (96)	22 (101)		50~15	50 (66)	44 (72)	38 (78)	32 (84)	26 (90)	20 (96)	15 (101)		46~1	46 (54)	40 (60)	34 (66)	28 (72)	21 (79)	14 (86)	7 (93)	-1 (101)

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 35mm WILL BE BEYOND OUTER RIM FLANGE.

■DISK FINISH: GLAZE BLACK, MATTE GUN METALLIC, SAMURAI GOLD, PREMIUM SILVER

■COMPONENT PARTS : CENTER CAP (Choice of 7 types)、METAL VALVE STEM

■RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※SAME PRICES ON YOUR CUSTOM ORDER.

Size	4H/100				5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	730KG	φ30	φ14.5	25	32	48
20 Reverse	—	—	—	—	—	—	—																
20 Normal	—	—	—	—	φ65	540KG	φ30	φ14.5															
19 Reverse	—	—	—	—																			
19 Normal	—	—	—	—																			
18 Reverse	φ65	530KG	φ30	φ13													—	—	—	—			

SPEC & PRICE LIST

MAVERICK 709M 19inch NORMAL RIM

[2-piece]

SIZE	Price (JPY/1pc)			S-LoDisk 5H-114.3							LoDisk 5H-100 5H-112 5H-114.3							HiDisk 5H-114.3										
	MAT GUN-METALLIC	SAMURAI GOLD	GLAZE BLACK, PREMIUM SILVER	Order/inset	Inset (Rim Depth) mm						Order/inset	Inset (Rim Depth) mm						Order/inset	Inset (Rim Depth) mm									
19×8.0J	¥76,000	¥76,500	¥77,000	37~21			37(55)	31(61)	25(67)	21(71)	30~14				30(55)	24(61)	18(67)	14(71)	11~5							11(55)	5(61)	-1(67)
19×8.5J	¥77,000	¥77,500	¥78,000	43~14		43(56)	37(62)	31(68)	25(74)	19(80)	36~7			36(56)	30(62)	24(68)	18(74)	12(80)	17~12					17(55)	11(61)	5(67)	-1(73)	-7(79)
19×9.0J	¥78,000	¥78,500	¥79,000	49~20	49(56)	43(62)	37(68)	31(74)	25(80)	20(85)	42~13		42(56)	36(62)	30(68)	24(74)	18(80)	13(85)	24~5					23(56)	17(62)	11(68)	5(74)	-1(80)
19×9.5J	¥79,000	¥79,500	¥80,000	49~15	49(63)	43(69)	37(75)	31(81)	25(87)	19(93)	48~8	48(57)	42(63)	36(69)	30(75)	24(81)	18(87)	12(93)	30~-11			29(56)	23(62)	17(68)	11(74)	5(80)	-1(86)	-7(92)
19×10.0J	¥80,000	¥80,500	¥81,000	49~21	49(69)	43(75)	37(81)	31(87)	25(93)	21(97)	48~14	48(63)	42(69)	36(75)	30(81)	24(87)	18(93)	14(97)	36~-5		35(56)	29(62)	23(68)	17(74)	11(80)	5(86)	-1(92)	
19×10.5J	¥81,000	¥81,500	¥82,000	49~20	49(75)	43(81)	37(87)	31(93)	25(99)	20(104)	48~13	48(69)	42(75)	36(81)	30(87)	24(93)	18(99)	13(104)	43~-5	41(57)	35(63)	29(69)	23(75)	17(81)	11(87)	5(93)	-1(99)	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 35mm WILL BE BEYOND OUTER RIM FLANGE.

■DISK FINISH: GLAZE BLACK, MATTE GUN METALLIC, SAMURAI GOLD, PREMIUM SILVER

■COMPONENT PARTS : CENTER CAP (Choice of 7 types) 、METAL VALVE STEM

■RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

※SAME PRICES ON YOUR CUSTOM ORDER.

Size	4H/100				5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	—	—	—	—	φ 66.5	705KG	φ 30	φ 14.5	φ 73	690KG	φ 30	φ 13	φ 72.5	730KG	φ 30	φ 14.5	25	32	48
20 Reverse	—	—	—	—	—	—	—																
20 Normal	—	—	—	—	φ 65	540KG	φ 30	φ 14.5															
19 Reverse	—	—	—	—																			
19 Normal	—	—	—	—																			
18 Reverse	φ 65	530KG	φ 30	φ 13													—	—	—	—			

SPEC & PRICE LIST

MAVERICK 709M 18inch REVERSE RIM

[2-piece]

SIZE	Price (JPY/1pc)			S-LoDisk 5H-114.3									LoDisk 4H-100 5H-100 5H-112 5H-114.3									HiDisk 5H-114.3											
	MAT GUN-METALLIC	SAMURAI GOLD	GLAZE BLACK, PREMIUM SILVER	Order Inset	Inset (Rim Depth) mm									Order Inset	Inset (Rim Depth) mm									Order Inset	Inset (Rim Depth) mm								
18×7.5J	¥67,000	¥67,500	¥68,000	50~32		50 (35)	44 (41)	38 (47)	32 (53)				43~25		43 (35)	37 (41)	31 (47)	25 (53)				24~6					24 (35)	18 (41)	12 (47)	6 (53)			
18×8.0J	¥68,000	¥68,500	¥69,000	57~27	57 (35)	51 (41)	45 (47)	39 (53)	33 (59)	27 (65)			50~20	50 (35)	44 (41)	38 (47)	32 (53)	26 (59)	20 (65)			31~1				30 (36)	24 (42)	18 (48)	12 (54)	6 (60)			
18×8.5J	¥69,000	¥69,500	¥70,000	57~20	57 (41)	51 (47)	45 (53)	39 (59)	33 (65)	29 (69)	24 (74)	20 (78)	50~13	50 (41)	44 (47)	38 (53)	32 (59)	26 (65)	20 (71)	13 (78)		37~6			36 (36)	30 (42)	24 (48)	18 (54)	12 (60)	6 (66)	0 (72)	-6 (78)	
18×9.0J	¥70,000	¥70,500	¥71,000	57~20	57 (47)	51 (53)	45 (59)	39 (65)	33 (71)	27 (77)	20 (84)		50~13	50 (47)	44 (53)	38 (59)	32 (65)	26 (71)	20 (77)	13 (84)		43~6			42 (36)	36 (42)	30 (48)	24 (54)	18 (60)	12 (66)	6 (72)	0 (78)	-6 (84)
18×9.5J	¥71,000	¥71,500	¥72,000	57~20	57 (54)	51 (60)	45 (66)	39 (72)	33 (78)	27 (84)	20 (91)		50~13	50 (54)	44 (60)	38 (66)	32 (72)	26 (78)	20 (84)	13 (91)		50~6	48 (37)	42 (43)	36 (49)	30 (55)	24 (61)	18 (67)	12 (73)	6 (79)	0 (85)	-6 (91)	
18×10.0J	¥72,000	¥72,500	¥73,000	57~26	57 (60)	51 (66)	45 (72)	39 (78)	33 (84)	26 (91)			50~19	50 (60)	44 (66)	38 (72)	32 (78)	26 (84)	19 (91)			50~0	48 (43)	42 (49)	36 (55)	30 (61)	24 (67)	18 (73)	12 (79)	6 (85)	0 (91)		

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 35mm WILL BE BEYOND OUTER RIM FLANGE.

- DISK FINISH: GLAZE BLACK, MATTE GUN METALLIC, SAMURAI GOLD, PREMIUM SILVER
- COMPONENT PARTS : CENTER CAP (Choice of 7 types) 、METAL VALVE STEM
- RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.
- ※SAME PRICES ON YOUR CUSTOM ORDER.

Size	4H/100				5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)																	
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	H															
21 Normal	—	—	—	—	—	—	—	—	φ66.5	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.5	730KG	φ30	φ14.5	25	32	48															
20 Reverse	—	—	—	—	—	—	—	—																														
20 Normal	—	—	—	—	φ65	540KG	φ30	φ14.5																														
19 Reverse	—	—	—	—																																		
19 Normal	—	—	—	—																																		
18 Reverse	φ65	530KG	φ30	φ13						—							—	—	—																			
																	—	—	—	—																		