SPEC & PRICE LIST

Kranze Felsen 22inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	G BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	HYPER CHROME ¥25,500 UP Price	Outer Rim Depth / Disk Type / Inset														HOLE P.C.D.
					27mm		39mm		52mm		65mm		77mm		90mm		103mm		
					Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	
22×8.0J	¥167,000	¥172,000	¥186,500	¥192,500	52	33	39	20											5 HOLES 112 114.3 120 Lo・Hi
22×8.5J	¥169,000	¥174,000	¥188,500	¥194,500	58	39	45	26	32	13									
22×9.0J	¥171,000	¥176,000	¥190,500	¥196,500		46	52	33	39	20	26	7							
22×9.5J	¥173,000	¥178,000	¥192,500	¥198,500		52		39	45	26	32	13	20	1					
22×10.0J	¥175,000	¥180,000	¥194,500	¥200,500				46	52	33	39	20	26	7	13	-6			
22×10.5J	¥177,000	¥182,000	¥196,500	¥202,500				52		39	45	26	33	14	20	1	7	-12	
22×11.0J	¥179,000	¥184,000	¥198,500	¥204,500						46	52	33	39	20	26	7	14	-6	ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
22×11.5J	¥182,000	¥187,000	¥201,500	¥207,500								39	46	27	33	14	20	1	
22×12.0J	¥185,000	¥190,000	¥204,500	¥210,500									52	33	39	20	27	8	
22×12.5J	¥188,000	¥193,000	¥207,500	¥213,500											46	27	33	14	
22×13.0J	¥191,000	¥196,000	¥210,500	¥216,500													40	21	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 27mm WILL BE 4.1mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：HYPER CHROME, SBC/POLISH,G BLACK/POLISH
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	45	53
20 Reverse													32	38	45	53
20 Normal													32	38	45	53
19 Reverse		700KG											32	38	45	53

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Felsen 21inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	G BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	HYPER CHROME ¥25,500 UP Price	Outer Rim Depth / Disk Type / Inset																					HOLE P.C.D.
					25mm			38mm			50mm			63mm			76mm			89mm			101mm			
					Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	
21×8.0J	¥129,000	¥134,000	¥148,500	¥154,500	53	44	35	40	31	22	27	18	9													5 HOLES 112 114.3 120 Lo・Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
21×8.5J	¥131,000	¥136,000	¥150,500	¥156,500		50	41	46	37	28	33	24	15	21	12	3										
21×9.0J	¥133,000	¥138,000	¥152,500	¥158,500			48	53	44	35	40	31	22	27	18	9	15	6	-4							
21×9.5J	¥135,000	¥140,000	¥154,500	¥160,500					50	41	46	37	28	33	24	15	21	12	3	8	-1	-10				
21×10.0J	¥137,000	¥142,000	¥156,500	¥162,500							53	44	35	40	31	22	27	18	9	14	5	-4	2	-7	-16	
21×10.5J	¥139,000	¥144,000	¥158,500	¥164,500										46	37	28	34	25	16	21	12	3	8	-1	-10	
21×11.0J	¥141,000	¥146,000	¥160,500	¥166,500													40	31	22	27	18	9	15	6	-4	
21×11.5J	¥143,000	¥148,000	¥162,500	¥168,500																34	25	16	21	12	3	
21×12.0J	¥145,000	¥150,000	¥164,500	¥170,500																			28	19	10	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 25mm WILL BE 5.3mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：HYPER CHROME, SBC/POLISH,G BLACK/POLISH
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	45	53
20 Reverse													32	38	45	53
20 Normal													32	38	45	53
19 Reverse		700KG											32	38	45	53

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Felsen 21inch NORMAL RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	G BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	HYPER CHROME ¥25,500 UP Price	Outer Rim Depth / Disk Type / Inset																				HOLE P.C.D.
					54mm				66mm				79mm				92mm				104mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
21×8.5J	¥131,000	¥136,000	¥150,500	¥156,500	37	30	23	15																	5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
21×9.0J	¥133,000	¥138,000	¥152,500	¥158,500	43	37	29	22	30	24	17	9													
21×9.5J	¥135,000	¥140,000	¥154,500	¥160,500		43	36	28	37	30	23	15	24	18	10	3									
21×10.0J	¥137,000	¥142,000	¥156,500	¥162,500			42	35	43	37	29	22	30	24	17	9	18	11	4	-4					
21×10.5J	¥139,000	¥144,000	¥158,500	¥164,500						43	36	28	37	31	23	15	24	18	10	3	11	5	-2	-10	
21×11.0J	¥141,000	¥146,000	¥160,500	¥166,500									43	37	29	22	30	24	17	9	18	11	4	-4	
21×11.5J	¥143,000	¥148,000	¥162,500	¥168,500													37	31	23	15	24	18	10	3	
21×12.0J	¥145,000	¥150,000	¥164,500	¥170,500																	30	24	17	9	

■REGULAR COLOR：HYPER CHROME, SBC/POLISH,G BLACK/POLISH
■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	45	53
20 Reverse													32	38	45	53
20 Normal													32	38	45	53
19 Reverse		700KG											32	38	45	53

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.
weds CO.,LTD.

SPEC & PRICE LIST

Kranze Felsen 20inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	G BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	HYPER CHROME ¥25,500 UP Price	Outer Rim Depth / Disk Type / Inset																																HOLE P.C.D.
					25mm				38mm				50mm				63mm				76mm				89mm				101mm				114mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥106,000	¥111,000	¥125,500	¥131,500	56	50	42	35	43	37	29	22	30	24	17	9	18	11	4	-4																	5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
20×8.5J	¥108,000	¥113,000	¥127,500	¥133,500		56	48	41	49	43	36	28	37	30	23	15	24	18	10	3	11	5	-2	-10													
20×9.0J	¥110,000	¥115,000	¥129,500	¥135,500			55	47	56	50	42	35	43	37	29	22	30	24	17	9	18	11	4	-4	5	-1	-8	-16									
20×9.5J	¥112,000	¥117,000	¥131,500	¥137,500						56	48	41	49	43	36	28	37	30	23	15	24	18	10	3	11	5	-2	-10	-1	-8	-15	-23					
20×10.0J	¥114,000	¥119,000	¥133,500	¥139,500							55	48	56	50	42	35	43	37	29	22	30	24	17	9	18	11	4	-4	5	-1	-9	-16	-8	-14	-21	-29	
20×10.5J	¥116,000	¥121,000	¥135,500	¥141,500										56	48	41	49	43	36	28	37	31	23	15	24	18	10	3	11	5	-2	-10	-1	-8	-15	-23	
20×11.0J	¥118,000	¥123,000	¥137,500	¥143,500													56	50	42	35	43	37	29	22	30	24	17	9	18	11	4	-4	5	-1	-8	-16	
20×11.5J	¥120,000	¥125,000	¥139,500	¥145,500																	50	44	36	29	37	31	23	15	24	18	10	3	11	5	-2	-10	
20×12.0J	¥122,000	¥127,000	¥141,500	¥147,500																					43	37	29	22	30	24	17	9	18	11	4	-4	
20×12.5J	¥124,000	¥129,000	¥143,500	¥149,500																									37	31	23	16	24	18	11	3	
20×13.0J	¥126,000	¥131,000	¥145,500	¥151,500																													31	25	18	10	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 25mm WILL BE 5.0mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：HYPER CHROME, SBC/POLISH,G BLACK/POLISH
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	45	53
20 Reverse													32	38	45	53
20 Normal													32	38	45	53
19 Reverse		700KG											32	38	45	53

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Felsen 20inch NORMAL RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	G BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	HYPER CHROME ¥25,500 UP Price	Outer Rim Depth / Disk Type / Inset																				HOLE P.C.D.
					54mm				66mm				79mm				92mm				104mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥106,000	¥111,000	¥125,500	¥131,500	30	24	17	9	18	11	4	-4													5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
20×8.5J	¥108,000	¥113,000	¥127,500	¥133,500	37	30	23	15	24	18	10	3	11	5	-2	-10									
20×9.0J	¥110,000	¥115,000	¥129,500	¥135,500	43	37	29	22	30	24	17	9	18	11	4	-4	5	-1	-8	-16					
20×9.5J	¥112,000	¥117,000	¥131,500	¥137,500		43	36	28	37	30	23	15	24	18	10	3	11	5	-2	-10	-1	-8	-15	-23	
20×10.0J	¥114,000	¥119,000	¥133,500	¥139,500			42	35	43	37	29	22	30	24	17	9	18	11	4	-4	5	-1	-9	-16	
20×10.5J	¥116,000	¥121,000	¥135,500	¥141,500					49	43	36	28	37	31	23	15	24	18	10	3	11	5	-2	-10	
20×11.0J	¥118,000	¥123,000	¥137,500	¥143,500									43	37	29	22	30	24	17	9	18	11	4	-4	
20×11.5J	¥120,000	¥125,000	¥139,500	¥145,500													37	31	23	15	24	18	10	3	
20×12.0J	¥122,000	¥127,000	¥141,500	¥147,500																	30	24	17	9	

■REGULAR COLOR：HYPER CHROME, SBC/POLISH,G BLACK/POLISH
■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	45	53
20 Reverse													32	38	45	53
20 Normal													32	38	45	53
19 Reverse		700KG											32	38	45	53

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Felsen 19inch REVERSE RIM

〔3Piece〕

| Size Price (JPY/1pc) | Base Price [BLACK] Price | G BLACK/POLISH ¥5,000 UP Price | SBC/POLISH ¥19,500 UP Price | HYPER CHROME ¥25,500 UP Price | Outer Rim Depth / Disk Type / Inset | | |