SPEC & PRICE LIST

Kranze Schritt 22inch REVERSE RIM

〔3Piece〕

SIZE	Color Coordinate Base Price Price	SEPIA BLACK/POLISH ¥5,000UP Price	SBC/POLISH ¥19,500UP Price	DESIGN CHROME ¥56,000UP Price	Outer Rim Depth / Disk Type / Inset														HOLE P.C.D.
					30mm		42mm		55mm		68mm		81mm		93mm		106mm		
					Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	
22×8.0J	¥183,000	¥188,000	¥202,500	¥239,000	34	18	21	5	8	-8									5 HOLES 114.3 112(※) 120(※)
22×8.5J	¥185,000	¥190,000	¥204,500	¥241,000	40	24	27	11	14	-2	2	-15							
22×9.0J	¥187,000	¥192,000	¥206,500	¥243,000	47	31	34	18	21	5	8	-9	-5	-21					
22×9.5J	¥189,000	¥194,000	¥208,500	¥245,000	53	37	40	24	27	11	14	-2	2	-15	-11	-27			
22×10.0J	¥191,000	¥196,000	¥210,500	¥247,000			47	31	34	18	21	5	8	-8	-5	-21	-17	-33	
22×10.5J	¥193,000	¥198,000	¥212,500	¥249,000			53	37	40	24	27	11	15	-2	2	-15	-11	-27	
22×11.0J	¥195,000	¥200,000	¥214,500	¥251,000					47	31	34	18	21	5	8	-8	-5	-21	
22×11.5J	¥198,000	¥203,000	¥217,500	¥254,000							40	24	28	12	15	-2	2	-14	
22×12.0J	¥201,000	¥206,000	¥220,500	¥257,000									34	18	21	5	9	-8	
22×12.5J	¥204,000	¥209,000	¥223,500	¥260,000											28	12	15	-1	
22×13.0J	¥207,000	¥212,000	¥226,500	¥263,000													22	6	

Note) For all 22" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

※The red P.C.D is 4,400yen up (Ex tax)

■REGULAR COLOR：SEPIA BLACK/POLISH、SBC/POLISH、DESIGN CHROME
■CENTER CAP（AVAILABLE IN 5 COLORS）、AIR VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※At the end of November 2023, the long adapter will no longer be included in the package.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.6	690KG	φ30	φ14.5	–	32	–	48
21 Reverse													–	32	38	45
21 Normal													25	32	40	46
20 Reverse													25	32	40	46
20 Normal													25	32	40	46
19 Reverse		700KG											25	32	40	46

OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.(As below)

22inch Reverse



19inch / 20inch / 21inch Reverse



20inch / 21inch Normal



Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.

SPEC & PRICE LIST

Kranze Schritt 21inch REVERSE RIM

〔3Piece〕

SIZE	Color Coordinate Base Price Price	SEPIA BLACK/POLISH ¥5,000UP Price	SBC/POLISH ¥19,500UP Price	DESIGN CHROME ¥56,000UP Price	Outer Rim Depth / Disk Type / Inset																					HOLE P.C.D.
					28mm			41mm			54mm			66mm			79mm			92mm			104mm			
					Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	
21×8.0J	¥145,000	¥150,000	¥164,500	¥201,000	35	29	22	23	16	9	10	4	-4													5 HOLES 114.3 112(※) 120(※)
21×8.5J	¥147,000	¥152,000	¥166,500	¥203,000	42	36	29	30	23	16	17	10	3	4	-4	-11										
21×9.0J	¥149,000	¥154,000	¥168,500	¥205,000	48	42	34	35	29	21	22	16	8	9	3	-5	-4	-10	-17							
21×9.5J	¥151,000	¥156,000	¥170,500	¥207,000				42	36	28	29	23	15	16	10	2	3	-4	-11	-10	-16	-24	-23	-29	-36	
21×10.0J	¥153,000	¥158,000	¥172,500	¥209,000							35	29	22	23	16	9	10	4	-4	-3	-10	-17	-16	-22	-29	
21×10.5J	¥155,000	¥160,000	¥174,500	¥211,000										29	23	15	16	10	3	4	-4	-10	-9	-16	-23	
21×11.0J	¥157,000	¥162,000	¥176,500	¥213,000													23	17	9	10	4	-4	-3	-10	-17	
21×11.5J	¥159,000	¥164,000	¥178,500	¥215,000																16	10	3	4	-3	-10	
21×12.0J	¥161,000	¥166,000	¥180,500	¥217,000																			10	4	-4	

Note) For all 21 REVERSE RIM" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

※The red P.C.D is 4,400yen up (Ex tax)

■REGULAR COLOR：SEPIA BLACK/POLISH、SBC/POLISH、DESIGN CHROME
■CENTER CAP（AVAILABLE IN 5 COLORS）、AIR VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※At the end of November 2023, the long adapter will no longer be included in the package.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.6	690KG	φ30	φ14.5	–	32	–	48
21 Reverse													–	32	38	45
21 Normal													25	32	40	46
20 Reverse													25	32	40	46
20 Normal													25	32	40	46
19 Reverse		700KG											25	32	40	46

OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.(As below)

22inch Reverse



19inch / 20inch / 21inch Reverse



20inch / 21inch Normal



Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.

SPEC & PRICE LIST

Kranze Schritt 21inch NORMAL RIM

〔3Piece〕

SIZE	Color Coordinate Base Price Price	SEPIA BLACK/POLISH ¥5,000UP Price	SBC/POLISH ¥19,500UP Price	DESIGN CHROME ¥56,000UP Price	Outer Rim Depth / Disk Type / Inset																								HOLE P.C.D.
					42mm				55mm				68mm				81mm				93mm				106mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
21×8.5J	¥147,000	¥152,000	¥166,500	¥203,000	38	31	23	17	25	18	10	4																	
21×9.0J	¥149,000	¥154,000	¥168,500	¥205,000	45	38	30	24	32	25	17	11	19	12	4	-3													
21×9.5J	¥151,000	¥156,000	¥170,500	¥207,000	51	44	36	30	38	31	23	17	25	18	10	4	13	6	-3	-9									5 HOLES 114.3 112(※) 120(※)
21×10.0J	¥153,000	¥158,000	¥172,500	¥209,000					45	38	30	24	32	25	17	11	19	12	4	-2	6	-1	-9	-15					
21×10.5J	¥155,000	¥160,000	¥174,500	¥211,000									38	31	23	17	26	19	11	5	13	6	-3	-9	0	-7	-15	-21	
21×11.0J	¥157,000	¥162,000	¥176,500	¥213,000													32	25	17	11	19	12	4	-2	7	-1	-9	-15	
21×11.5J	¥159,000	¥164,000	¥178,500	¥215,000																	26	19	11	5	13	6	-2	-8	
21×12.0J	¥161,000	¥166,000	¥180,500	¥217,000																					20	13	5	-2	

※The red P.C.D is 4,400yen up (Ex tax)

■REGULAR COLOR：SEPIA BLACK/POLISH、SBC/POLISH、DESIGN CHROME
■CENTER CAP（AVAILABLE IN 5 COLORS）、AIR VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※At the end of November 2023, the long adapter will no longer be included in the package.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.6	690KG	φ30	φ14.5	–	32	–	48
21 Reverse													–	32	38	45
21 Normal													25	32	40	46
20 Reverse													25	32	40	46
20 Normal													25	32	40	46
19 Reverse		700KG											25	32	40	46

OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.(As below)

22inch Reverse



19inch / 20inch / 21inch Reverse



20inch / 21inch Normal



Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.

SPEC & PRICE LIST

Kranze Schritt 20inch REVERSE RIM

〔3Piece〕

SIZE	Color Coordinate Base Price Price	SEPIA BLACK/POLISH ¥5,000UP Price	SBC/POLISH ¥19,500UP Price	DESIGN CHROME ¥56,000UP Price	Outer Rim Depth / Disk Type / Inset																														HOLE P.C.D.
					28mm				41mm				54mm				66mm				79mm				92mm				104mm				117mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥122,000	¥127,000	¥141,500	¥178,000	45	38	30	24	32	25	17	11	19	12	4	-2	6	-1	-9	-15																	5 HOLES 114.3 112(※) 120(※)
20×8.5J	¥124,000	¥129,000	¥143,500	¥180,000	51	44	36	30	38	31	23	17	25	18	10	4	13	6	-3	-9	0	-7	-15	-21													
20×9.0J	¥126,000	¥131,000	¥145,500	¥182,000	58	51	43	37	45	38	30	24	32	25	17	11	19	12	4	-3	7	-1	-9	-15	-7	-14	-22	-28									
20×9.5J	¥128,000	¥133,000	¥147,500	¥184,000		57	49	43	51	44	36	30	38	31	23	17	25	18	10	4	13	6	-3	-9	0	-7	-15	-21	-13	-20	-28	-34					
20×10.0J	¥130,000	¥135,000	¥149,500	¥186,000					58	51	43	37	45	38	30	24	32	25	17	11	19	12	4	-2	6	-1	-9	-15	-6	-13	-21	-27	-19	-26	-34	-40	
20×10.5J	¥132,000	¥137,000	¥151,500	¥188,000									51	44	36	30	38	31	23	17	26	19	11	5	13	6	-3	-9	0	-7	-15	-21	-13	-20	-28	-34	
20×11.0J	¥134,000	¥139,000	¥153,500	¥190,000													45	38	30	24	32	25	17	11	19	12	4	-2	7	-1	-9	-15	-7	-14	-22	-28	
20×11.5J	¥136,000	¥141,000	¥155,500	¥192,000																	39	32	24	18	26	19	11	5	13	6	-2	-8	0	-7	-15	-21	
20×12.0J	¥138,000	¥143,000	¥157,500	¥194,000																					32	25	17	11	20	13	5	-2	7	-1	-9	-15	
20×12.5J	¥140,000	¥145,000	¥159,500	¥196,000																									26	19	11	5	13	6	-2	-8	
20×13.0J	¥142,000	¥147,000	¥161,500	¥198,000																													20	13	5	-2	

Note) For all 20" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

※The red P.C.D is 4,400yen up (Ex tax)

■REGULAR COLOR：SEPIA BLACK/POLISH、SBC/POLISH、DESIGN CHROME

■CENTER CAP（AVAILABLE IN 5 COLORS）、AIR VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）

※At the end of November 2023, the long adapter will no longer be included in the package.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.6	690KG	φ30	φ14.5	—	32	—	48
21 Reverse													—	32	38	45
21 Normal													25	32	40	46
20 Reverse													25	32	40	46
20 Normal													25	32	40	46
19 Reverse		700KG											25	32	40	46

OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.(As below)

22inch Reverse



19inch / 20inch / 21inch Reverse



20inch / 21inch Normal



Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.

SPEC & PRICE LIST

Kranze Schritt 20inch NORMAL RIM

〔3Piece〕

SIZE	Color Coordinate Base Price Price	SEPIA BLACK/POLISH ¥5,000UP Price	SBC/POLISH ¥19,500UP Price	DESIGN CHROME ¥56,000UP Price	Outer Rim Depth / Disk Type / Inset																								HOLE P.C.D.
					42mm				55mm				68mm				81mm				93mm				106mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥122,000	¥127,000	¥141,500	¥178,000	32	25	17	11	19	12	4	-2	6	-1	-9	-15													5 HOLES 114.3 112(※) 120(※)
20×8.5J	¥124,000	¥129,000	¥143,500	¥180,000	38	31	23	17	25	18	10	4	13	6	-3	-9	0	-7	-15	-21									
20×9.0J	¥126,000	¥131,000	¥145,500	¥182,000	45	38	30	24	32	25	17	11	19	12	4	-3	7	-1	-9	-15	-7	-14	-22	-28					
20×9.5J	¥128,000	¥133,000	¥147,500	¥184,000	51	44	36	30	38	31	23	17	25	18	10	4	13	6	-3	-9	0	-7	-15	-21	-13	-20	-28	-34	
20×10.0J	¥130,000	¥135,000	¥149,500	¥186,000					45	38	30	24	32	25	17	11	19	12	4	-2	6	-1	-9	-15	-6	-13	-21	-27	
20×10.5J	¥132,000	¥137,000	¥151,500	¥188,000									38	31	23	17	26	19	11	5	13	6	-3	-9	0	-7	-15	-21	
20×11.0J	¥134,000	¥139,000	¥153,500	¥190,000													32	25	17	11	19	12	4	-2	7	-1	-9	-15	
20×11.5J	¥136,000	¥141,000	¥155,500	¥192,000																	26	19	11	5	13	6	-2	-8	
20×12.0J	¥138,000	¥143,000	¥157,500	¥194,000																					20	13	5	-2	

※The red P.C.D is 4,400yen up (Ex tax)

■REGULAR COLOR：SEPIA BLACK/POLISH、SBC/POLISH、DESIGN CHROME
■CENTER CAP（AVAILABLE IN 5 COLORS）、AIR VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※At the end of November 2023, the long adapter will no longer be included in the package.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.6	690KG	φ30	φ14.5	–	32	–	48
21 Reverse													–	32	38	45
21 Normal													25	32	40	46
20 Reverse													25	32	40	46
20 Normal													25	32	40	46
19 Reverse		700KG											25	32	40	46

OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.(As below)

22inch Reverse



19inch / 20inch / 21inch Reverse



20inch / 21inch Normal



Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.

SPEC & PRICE LIST

Kranze Schritt 19inch REVERSE RIM

〔3Piece〕

SIZE	Color Coordinate Base Price Price	SEPIA BLACK/POLISH ¥5,000UP Price	SBC/POLISH ¥19,500UP Price	DESIGN CHROME ¥56,000UP Price	Outer Rim Depth / Disk Type / Inset																																				HOLE P.C.D.
					28mm				41mm				54mm				66mm				79mm				92mm				104mm				117mm				DEEP RIM 193mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
19×7.5J	¥114,000	¥119,000	¥133,500	¥170,000	38	31	23	17	26	19	11	5	13	6	-3	-9	-1	-8	-16	-22																					
19×8.0J	¥115,000	¥120,000	¥134,500	¥171,000	45	38	30	24	32	25	17	11	19	12	4	-2	6	-1	-9	-15	-7	-14	-22	-28																	
19×8.5J	¥116,000	¥121,000	¥135,500	¥172,000	51	44	36	30	38	31	23	17	25	18	10	4	13	6	-3	-9	0	-7	-15	-21	-13	-20	-28	-34													
19×9.0J	¥117,000	¥122,000	¥136,500	¥173,000	58	51	43	37	45	38	30	24	32	25	17	11	19	12	4	-3	7	-1	-9	-15	-7	-14	-22	-28	-19	-26	-34	-40									
19×9.5J	¥118,000	¥123,000	¥137,500	¥174,000					51	44	36	30	38	31	23	17	25	18	10	4	13	6	-3	-9	0	-7	-15	-21	-13	-20	-28	-34	-26	-33	-41	-47					5 HOLES 114.3 112(※) 120(※)
19×10.0J	¥119,000	¥124,000	¥138,500	¥175,000									45	38	30	24	32	25	17	11	19	12	4	-2	6	-1	-9	-15	-6	-13	-21	-27	-19	-26	-34	-40					
19×10.5J	¥120,500	¥125,500	¥140,000	¥176,500													38	31	23	17	26	19	11	5	13	6	-3	-9	0	-7	-15	-21	-13	-20	-28	-34					
19×11.0J	¥122,000	¥127,000	¥141,500	¥178,000																	32	25	17	11	19	12	4	-2	7	-1	-9	-15	-7	-14	-22	-28					
19×11.5J	¥123,500	¥128,500	¥143,000	¥179,500																					26	19	11	5	13	6	-2	-8	0	-7	-15	-21					
19×12.0J	¥125,000	¥130,000	¥144,500	¥181,000																									20	13	5	-2	7	-1	-9	-15	-70	-77	-85	-91	
19×12.5J	¥126,500	¥131,500	¥146,000	¥182,500																													13	6	-2	-8	-64	-71	-79	-85	
19×13.0J	¥128,000	¥133,000	¥147,500	¥184,000																																	-57	-64	-72	-78	

Note) For all 19" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

※The red P.C.D is 4,400yen up (Ex tax)

■REGULAR COLOR：SEPIA BLACK/POLISH、SBC/POLISH、DESIGN CHROME
■CENTER CAP（AVAILABLE IN 5 COLORS）、AIR VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※At the end of November 2023, the long adapter will no longer be included in the package.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ14.5	φ72.6	690KG	φ30	φ14.5	—	32	—	48
21 Reverse													—	32	38	45
21 Normal													25	32	40	46
20 Reverse													25	32	40	46
20 Normal													25	32	40	46
19 Reverse		700KG											25	32	40	46

OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.(As below)

22inch Reverse



19inch / 20inch / 21inch Reverse



20inch / 21inch Normal



Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.