SPEC & PRICE LIST

Kranze Vierharm 22inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	SEPIA BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	BLACK & BUFF / BRUSHED ¥35,500 UP Price	Outer Rim Depth / Disk Type / Inset												HOLE P.C.D.
					44mm		57mm		69mm		82mm		95mm		108mm		
					Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	
22×8.0J	¥168,000	¥173,000	¥187,500	¥203,500	35	20	23	8									5 HOLES 112 114.3 120 Lo・Hi
22×8.5J	¥170,000	¥175,000	¥189,500	¥205,500	42	27	29	14	16	1							
22×9.0J	¥172,000	¥177,000	¥191,500	¥207,500	48	33	35	20	22	7	10	-5					
22×9.5J	¥174,000	¥179,000	¥193,500	¥209,500	55	40	42	27	29	14	16	1	4	-12			
22×10.0J	¥176,000	¥181,000	¥195,500	¥211,500			48	33	35	20	23	8	10	-6	-3	-18	
22×10.5J	¥178,000	¥183,000	¥197,500	¥213,500			55	40	42	27	29	14	16	1	4	-12	
22×11.0J	¥180,000	¥185,000	¥199,500	¥215,500					48	33	36	21	23	8	10	-5	ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
22×11.5J	¥183,000	¥188,000	¥202,500	¥218,500					55	40	42	27	29	14	17	2	
22×12.0J	¥186,000	¥191,000	¥205,500	¥221,500							49	34	36	21	23	8	
22×12.5J	¥189,000	¥194,000	¥208,500	¥224,500									42	27	30	15	
22×13.0J	¥192,000	¥197,000	¥211,500	¥227,500											36	21	

Note) For all 22" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

■REGULAR COLOR：SEPIA BLACK/POLISH, SBC/POLISH, BLACK & BUFF/BRUSHED
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	40	—	55
21 Reverse													—	35	44	53
21 Normal													32	40	48	55
20 Reverse													32	40	48	55
20 Normal													32	40	48	55
19 Reverse		700KG											32	40	48	55

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

weds CO.,LTD.

SPEC & PRICE LIST

Kranze Vierharm 21inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	SEPIA BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	BLACK&BUFF / BRUSHED ¥35,500 UP Price	Outer Rim Depth / Disk Type / Inset																		HOLE P.C.D.
					42mm			54mm			67mm			80mm			92mm			105mm			
					Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	
21×8.0J	¥130,000	¥135,000	¥149,500	¥165,500	40	31	22	28	19	10													5 HOLES 112 114.3 120 Lo・Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
21×8.5J	¥132,000	¥137,000	¥151,500	¥167,500	47	38	29	34	25	16	21	12	3										
21×9.0J	¥134,000	¥139,000	¥153,500	¥169,500	53	44	35	40	31	22	27	18	9	15	6	-3							
21×9.5J	¥136,000	¥141,000	¥155,500	¥171,500				47	38	29	34	25	16	21	12	3	9	-1	-10				
21×10.0J	¥138,000	¥143,000	¥157,500	¥173,500				53	44	35	40	31	22	28	19	10	15	6	-4	3	-7	-16	
21×10.5J	¥140,000	¥145,000	¥159,500	¥175,500							47	38	29	34	25	16	21	12	3	9	-1	-10	
21×11.0J	¥142,000	¥147,000	¥161,500	¥177,500										41	32	23	28	19	10	15	6	-3	
21×11.5J	¥144,000	¥149,000	¥163,500	¥179,500													34	25	16	22	13	4	
21×12.0J	¥146,000	¥151,000	¥165,500	¥181,500																28	19	10	

Note) For all 21 REVERSE RIM" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

■REGULAR COLOR：SEPIA BLACK/POLISH, SBC/POLISH, BLACK&BUFF/BRUSHED
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	40	—	55
21 Reverse													—	35	44	53
21 Normal													32	40	48	55
20 Reverse													32	40	48	55
20 Normal													32	40	48	55
19 Reverse		700KG											32	40	48	55

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Vierharm 21inch NORMAL RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	SEPIA BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	BLACK&BUFF / BRUSHED ¥35,500 UP Price	Outer Rim Depth / Disk Type / Inset																				HOLE P.C.D.
					57mm				70mm				82mm				95mm				108mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
21×8.5J	¥132,000	¥137,000	¥151,500	¥167,500	37	29	21	14																	5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
21×9.0J	¥134,000	¥139,000	¥153,500	¥169,500	43	35	27	20	30	22	14	7													
21×9.5J	¥136,000	¥141,000	¥155,500	¥171,500	50	42	34	27	37	29	21	14	24	16	8	1									
21×10.0J	¥138,000	¥143,000	¥157,500	¥173,500					43	35	27	20	31	23	15	8	18	10	2	-6					
21×10.5J	¥140,000	¥145,000	¥159,500	¥175,500					50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	
21×11.0J	¥142,000	¥147,000	¥161,500	¥177,500									44	36	28	21	31	23	15	8	18	10	2	-6	
21×11.5J	¥144,000	¥149,000	¥163,500	¥179,500													37	29	21	14	25	17	9	2	
21×12.0J	¥146,000	¥151,000	¥165,500	¥181,500																	31	23	15	8	

■REGULAR COLOR：SEPIA BLACK/POLISH, SBC/POLISH, BLACK&BUFF/BRUSHED
■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	40	—	55
21 Reverse													—	35	44	53
21 Normal													32	40	48	55
20 Reverse													32	40	48	55
20 Normal													32	40	48	55
19 Reverse		700KG											32	40	48	55

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Vierharm 20inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	SEPIA BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	BLACK&BUFF / BRUSHED ¥35,500 UP Price	Outer Rim Depth / Disk Type / Inset																												HOLE P.C.D.
					42mm				54mm				67mm				80mm				92mm				105mm				118mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥107,000	¥112,000	¥126,500	¥142,500	43	35	27	20	31	23	15	8	18	10	2	-6																	5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
20×8.5J	¥109,000	¥114,000	¥128,500	¥144,500	50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12													
20×9.0J	¥111,000	¥116,000	¥130,500	¥146,500	56	48	40	33	43	35	27	20	30	22	14	7	18	10	2	-5	5	-3	-11	-18									
20×9.5J	¥113,000	¥118,000	¥132,500	¥148,500		55	47	40	50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	-1	-9	-17	-24					
20×10.0J	¥115,000	¥120,000	¥134,500	¥150,500					56	48	40	33	43	35	27	20	31	23	15	8	18	10	2	-6	6	-3	-11	-18	-8	-16	-24	-31	
20×10.5J	¥117,000	¥122,000	¥136,500	¥152,500									50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	-1	-9	-17	-24	
20×11.0J	¥119,000	¥124,000	¥138,500	¥154,500													44	36	28	21	31	23	15	8	18	10	2	-5	5	-3	-11	-18	
20×11.5J	¥121,000	¥126,000	¥140,500	¥156,500													50	42	34	27	37	29	21	14	25	17	9	2	12	4	-5	-12	
20×12.0J	¥123,000	¥128,000	¥142,500	¥158,500																	44	36	28	21	31	23	15	8	18	10	2	-5	
20×12.5J	¥125,000	¥130,000	¥144,500	¥160,500																					38	30	22	15	25	17	9	2	
20×13.0J	¥127,000	¥132,000	¥146,500	¥162,500																									31	23	15	8	

Note) For all 20" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

■REGULAR COLOR：SEPIA BLACK/POLISH, SBC/POLISH, BLACK&BUFF/BRUSHED
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	40	—	55
21 Reverse													—	35	44	53
21 Normal													32	40	48	55
20 Reverse													32	40	48	55
20 Normal													32	40	48	55
19 Reverse		700KG											32	40	48	55

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Vierharm 20inch NORMAL RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	SEPIA BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	BLACK&BUFF / BRUSHED ¥35,500 UP Price	Outer Rim Depth / Disk Type / Inset																				HOLE P.C.D.
					57mm				70mm				82mm				95mm				108mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥107,000	¥112,000	¥126,500	¥142,500	31	23	15	8	18	10	2	-6													5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
20×8.5J	¥109,000	¥114,000	¥128,500	¥144,500	37	29	21	14	24	16	8	1	12	4	-5	-12									
20×9.0J	¥111,000	¥116,000	¥130,500	¥146,500	43	35	27	20	30	22	14	7	18	10	2	-5	5	-3	-11	-18					
20×9.5J	¥113,000	¥118,000	¥132,500	¥148,500	50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	-1	-9	-17	-24	
20×10.0J	¥115,000	¥120,000	¥134,500	¥150,500					43	35	27	20	31	23	15	8	18	10	2	-6	6	-3	-11	-18	
20×10.5J	¥117,000	¥122,000	¥136,500	¥152,500					50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	
20×11.0J	¥119,000	¥124,000	¥138,500	¥154,500									44	36	28	21	31	23	15	8	18	10	2	-5	
20×11.5J	¥121,000	¥126,000	¥140,500	¥156,500													37	29	21	14	25	17	9	2	
20×12.0J	¥123,000	¥128,000	¥142,500	¥158,500																	31	23	15	8	

■REGULAR COLOR：SEPIA BLACK/POLISH, SBC/POLISH, BLACK&BUFF/BRUSHED
■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	40	—	55
21 Reverse													—	35	44	53
21 Normal													32	40	48	55
20 Reverse													32	40	48	55
20 Normal													32	40	48	55
19 Reverse		700KG											32	40	48	55

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.

SPEC & PRICE LIST

Kranze Vierharm 19inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price [BLACK] Price	SEPIA BLACK/POLISH ¥5,000 UP Price	SBC/POLISH ¥19,500 UP Price	BLACK&BUFF / BRUSHED ¥35,500 UP Price	Outer Rim Depth / Disk Type / Inset																																HOLE P.C.D.
					42mm				54mm				67mm				80mm				92mm				105mm				118mm				DEEP RIM 194mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
19×7.5J	¥99,000	¥104,000	¥118,500	¥134,500	37	29	21	14	24	16	8	1																									
19×8.0J	¥100,000	¥105,000	¥119,500	¥135,500	43	35	27	20	31	23	15	8	18	10	2	-6																					
19×8.5J	¥101,000	¥106,000	¥120,500	¥136,500	50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12																	
19×9.0J	¥102,000	¥107,000	¥121,500	¥137,500	56	48	40	33	43	35	27	20	30	22	14	7	18	10	2	-5	5	-3	-11	-18													
19×9.5J	¥103,000	¥108,000	¥122,500	¥138,500					50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	-1	-9	-17	-24									
19×10.0J	¥104,000	¥109,000	¥123,500	¥139,500					56	48	40	33	43	35	27	20	31	23	15	8	18	10	2	-6	6	-3	-11	-18	-8	-16	-24	-31					
19×10.5J	¥105,500	¥110,500	¥125,000	¥141,000									50	42	34	27	37	29	21	14	24	16	8	1	12	4	-5	-12	-1	-9	-17	-24					
19×11.0J	¥107,000	¥112,000	¥126,500	¥142,500													44	36	28	21	31	23	15	8	18	10	2	-5	5	-3	-11	-18					
19×11.5J	¥108,500	¥113,500	¥128,000	¥144,000																	37	29	21	14	25	17	9	2	12	4	-5	-12					
19×12.0J	¥110,000	¥115,000	¥129,500	¥145,500																					31	23	15	8	18	10	2	-5	-59	-67	-75	-82	
19×12.5J	¥111,500	¥116,500	¥131,000	¥147,000																									25	17	9	2	-52	-60	-68	-75	
19×13.0J	¥113,000	¥118,000	¥132,500	¥148,500																													-46	-54	-62	-69	

5 HOLES
112
114.3
120
S-Lo・Lo
Mid・Hi

ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-

Note) For all 19" sizes, there is no protrusion of the top surface of the disc from the edge of the rim flange.

■REGULAR COLOR：SEPIA BLACK/POLISH, SBC/POLISH, BLACK&BUFF/BRUSHED
■CENTER CAP (AVAILABLE IN 5 COLORS)、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP (AVAILABLE IN 4 COLORS)
※As of November 30, 2023, the long adapter is no longer included.
※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

Size	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13 φ14.5	φ72.6	690KG	φ30	φ14.5	—	40	—	55
21 Reverse													—	35	44	53
21 Normal													32	40	48	55
20 Reverse													32	40	48	55
20 Normal													32	40	48	55
19 Reverse		700KG											32	40	48	55

※The bolthole diameter for 5/114.3 is being changed sequentially.
The Φ14.5 diameter specification is identifiable by the engraving.

Copyright weds CO.,LTD. All Rights Reserved.